

# Physics 47 — Optics

## Problem Set 6

Due Fri, Oct 27, 2017

(before start of class)

### Textbook Problems

1. Hecht 9.3 [8 pts.]
2. Hecht 9.23 [3 pts.]
3. Hecht 9.24 [4 pts.]
4. Hecht 9.50 [4 pts.]
5. Hecht 9.57 [4 pts.]

### Additional Problems

#### A1. Fabry-Perot Spectroscopy of Hydrogen Isotopes [5 pts.]

The emission spectra of different isotopes of the same element (e.g. hydrogen and deuterium) are *slightly* shifted by the change in the mass of the nucleus. For the red  $H\alpha$  (hydrogen-alpha) line of the Balmer series, the wavelength is 656.28 nm for hydrogen, and 656.10 nm for deuterium. ( $\Delta\lambda = 0.18$  nm). You wish to create a special Fabry-Perot interferometer for measuring this splitting.

- a) What mirror spacing is needed to create a Fabry-Perot interferometer with a free spectral range of 0.5 nm?
- b) Assuming the mirror spacing from a), what is the order number  $N$  (number of half-wavelengths fitting in the cavity) for each of the two wavelengths? (Round down to the nearest integer value.)
- c) The reflectance of the mirrors you have available is  $R = 0.9$ . What is the Finesse?
- d) What is the half-width  $\gamma$  of the cavity resonance? Give the answer in both frequency units and in wavelength units.